Author Index

A

Abdelhalim AN, 534
Abe S, 634
Adam G, 399
Ahmed AR, 70, 175
Ahn JM, 901
Aibe H, 786
Aigner RM, 889
Aisen A, 869
Alinsonorin C, 279
Alpert NM, 479
Amara A, 266
Amemiya S, 874
Amitani H, 896
Anderson AW, 681
Annet L, 530
Antoun S, 327
Aoki C, 231, 415
Aoki J, 70
Aquino SL, 292, 479, 657
Arakawa H, 735, 758
Asmuth JC, 479
Assi C, 183
Avakian R, 505

B

Baba Y, 896
Bartolucci M, 375
Bartynski WS, 699
Batra A, 882
Battolla L, 375
Beaman NA, 639
Begemann PGC, 399
Bello MªJ, 724
Beppu Y, 799
Besser M, 26
Bhadelia R, 420
Bielen D, 132
Bisdorff A, 327
Biswal BB, 213, 219
Blachar A, 117
Blackshear JL, 62
Blumgart L, 307
Boese JM, 864
Boige V, 327
Boland GW, 380
Bonacker M, 399
Borders GT, 485
Borders RJ, 485
Borges AC, 385
Bosmans H, 132
Brady TJ, 392
Brancatelli G, 117
Brauner M, 496
Breiman RS, 860
Broome DR, 616
Brown KK, 260
Buchert R, 597
Bui-Mansfield LT, 639
Bulakbasi N, 630
Bydder GM, 825
Bydder M, 825
Byun HS, 194, 510
Byun JH, 125

C

Camiciottoli G, 375
Campistron P, 266
Cantisani V, 805
Carbone I, 132
Carlos RC, 687
Case I, 687
Cazals-Hatem D, 117
Cecil KM, 44
Chan P-n, 674
Chan R, 420
Chan Y-l, 674
Chang C-Y, 155
Chen C-Y, 590
Chen J-C, 207
Chen M-C, 93
Chen R-C, 854
Chen W-T, 854
Chiou Y-Y, 297
Cho OK, 158
Choe YH, 289
Choi BI, 140
Choi J-A, 814
Choi J-Y, 814
Choi YH, 85
Chou Y-H, 810
Chung HW, 814
Chung JW, 140
Chung MJ, 274, 714
Clark JF, 44
Coakley FV, 307, 860
Coenegrachts K, 284
Coffin C, 424
Cosnard G, 530
Cottin A, 183
Courbière M, 315
Courthéoux P, 424
Cryer H, 583
Cyteval C, 183

D

D'Souza RV, 105
Daniels DL, 213
de Carvalho Neto A, 12
De Letter J, 284
De Schepper AMA, 434
DeGrauw TJ, 44
Delannoy V, 266
Dematteo R, 307
Desser TS, 361
Deutschmann HA, 847
Deutschmann MJ, 847
Díaz A, 724
Dohmen PM, 385
Domingo P, 461
Dondero F, 117
Doss A, 235
Dromain C, 327
Duhamel A, 266
Duprez TP, 530
Dushe S, 385
Dzelzite S, 257

E

Ebied O, 117
Egelhoff JC, 44
Ekholm SE, 534
Elias D, 327
Ellenbogen RG, 663, 668
Elster AD, 1
Endo K, 70, 175
Endoh M, 626
Enomoto H, 189
Enzweiler CNH, 385
Erbay S, 420
Erly WK, 485

F

Falaschi F, 375
Farina L, 552
Federle MP, 117
Ficke JR, 639
Firszt JB, 213
Fischman AJ, 479
Fisher KL, 616
Fishman EK, 333, 347, 553, 619, 652, 779
Fogel E, 577
Fong Y, 307
Franquet T, 461, 475
Fritz GA, 847
Fujii K, 410
Fujii S, 88
Fujikawa A, 415
Fujioka M, 735
Fukutomi T, 78
Fulham MJ, 26

G

Gandhi D, 687
Gasparetto EL, 12
Gatehouse PD, 825
Genadry R, 779
Georgiades C, 652
Gerber TC, 62
Ghioni V, 663, 668
Gielen JLMA, 434
Giménez A, 461
Girard F, 496
Glenn D, 750
Glickman JN, 805
Gonzalez RG, 5
Goo JM, 274, 714
Graser A, 860
Graziano M, 392
Grazioli L, 117
Gremmels JM, 616
Guillon F, 496
Guo W-Y, 155
Guthoff AE, 399

H

Ha HK, 125
Hachiya J, 231, 415
Hahn KE, 399
Hahn PF, 297, 380
Halavaara J, 571
Hallscheidt PJ, 864
Halpern EF, 105, 479
Hamamoto M, 874
Hamm B, 385
Hamon M, 424
Han JK, 140
Hanai K, 364
Hansell DM, 475
Harada M, 449, 547
Haramati LB, 743
Harasawa A, 634
Harasawa H, 735
Hasegawa S, 241
Hasegawa T, 321, 792, 799
Hashmi R, 189
Hatayama K, 70
Hayakawa K, 564, 771
Hayashi K, 189
Hayashi S, 641
Hayman LA, 98, 292, 454, 657
Heath DG, 347
Henry L, 315
Hergan K, 5
Heyneman L, 743
Higashi K, 517
Higashiyama M, 56
Hisaoka S, 547
Höckerstedt K, 571
Hoeffner EG, 687
Hoffmann U, 392
Hofmann LV, 347
Honda H, 786
Hong C-H, 155
Hong SH, 814
Honma K, 758
Hori M, 110
Horton KM, 333, 347
Howard TJ, 577
Hsu Y-Y, 207
Huang C-C, 93
Huang C-H, 810
Hudetz AG, 219
Huisman TAGM, 5
Hunter GH, 505

I

Igarashi H, 874
Iida H, 410
Ikeda H, 647
Ikuta Y, 169, 820
Im J-G, 274, 714
Imai K, 162
Imamura T, 634
Inoue T, 175
Inoue Y, 641
Irie H, 786
Isaka N, 501
Ishibashi T, 354, 606, 626
Ishiburo M, 820
Ishida O, 169, 820
Ishida T, 634
Isoniemi H, 571
Issenberg HJ, 743
Ito H, 88
Ito K, 641
Ito M, 189
Itoh M, 78
Iwasaki H, 501
Iwasaku K, 564

J

Jakobs C, 44
Jarnagin W, 307
Johnson PT, 347
Jung DH, 166
Jung SE, 357
Jung SI, 714

K

Kadell BM, 583
Kadoya M, 18
Kaji T, 241
Kakihara D, 786
Kalantari BN, 805
Kalra MK, 105
Kamakura K, 241
Kambouchner M, 496
Kamel IR, 652
Kamochi N, 786
Kan S, 410
Kaneko N, 735
Kang HS, 814, 901
Kang JH, 166
Kang SW, 357
Kanne JP, 907
Karstaedt N, 62
Kasugai T, 56
Katase S, 231
Katayama Y, 874
Katsura Y, 162
Kaufman HS, 779
Kawahara Y, 189
Kawata S, 110
Kayanuma H, 641
Kemper J, 399
Khankan AA, 110
Kido A, 88
Kido S, 56
Kim AY, 125
Kim EJ, 253
Kim EY, 194
Kim G-E, 253
Kim H, 357
Kim H-J, 289
Kim HN, 166
Kim HS, 166
Kim JH, 48, 194, 714
Kim M-J, 48
Kim MJ, 510
Kim NK, 48
Kim PN, 125
Kim S, 490
Kim SH, 140, 901
Kim SM, 761, 901
Kim T, 110
Kim TK, 125
Kim TS, 490
Kim WH, 48
Kim Y, 158
Kim YD, 510
Kim YH, 297
King J, 750
Kiss G, 132
Kitami M, 626
Kivelitz DE, 385
Kivisaari L, 571
Kiyosue H, 150, 341
Ko S-F, 93
Kobayashi T, 18
Kocaoglu M, 630
Koh BH, 158
Kohyama S, 241
Komatsu E, 150
Konishi J, 88
Koppera P, 415
Koyama T, 88
Kroepil P, 860
Kubal WS, 681
Kubo H, 449
Kubo M, 364
Kuginuki Y, 517
Kuriyama K, 56
Kuroda C, 56
Kusaka M, 871
Kusano S, 241
Kusumi M, 410
Kuzo RS, 62
Kwon Y, 253

L

Lam HS, 609
Lane GE, 62
Lasota KJ, 213
Lasser P, 327
Lau S, 609
Lawler LP, 553, 619
Lecouvet FE, 530
Lee EH, 357
Lee GK, 814
Lee HJ, 274, 714
Lee HK, 253
Lee HY, 85
Lee J, 289
Lee JB, 85
Lee J-K, 525
Lee JK, 125
Lee JS, 260
Lee KH, 140, 194
Lee KS, 490
Lee M-G, 125
Lee MH, 901
Lee MW, 714
Lee SG, 125
Lee SJ, 194
Lee SS, 125
Lee T-Y, 93
Lefkowitz RA, 307
Lehman GA, 577
Lembcke A, 385
Leung S-f, 674
Li C-C, 810
Li C-S, 854
Li SJ, 442
Lii J-M, 854
Lillemoe KD, 619
Lim DH, 510
Lim KY, 714
Lin X-Z, 590
Liu CB, 12
Liu C-C, 810
Liu H-L, 207
Liu R-S, 525
Loomis SL, 292, 657
Lu DSK, 583
Lui CY, 609
Ly C, 454
Ly JQ, 639
Lynch DA, 260

M

Madrid M, 461
Madura JA, 577
Maebayashi T, 162
Maeyama S, 647
Maglinte D, 577
Mahad D, 235
Mak KL, 609
Maki T, 241
Makimoto A, 321
Malghem J, 530
Marchal G, 132
Marchand-Adam S, 496
Marden FA, 427
Mark LP, 442
Martínez S, 461
Mascalchi M, 375
Mastora I, 266
Matoba M, 517
Matsuhashi T, 354, 606, 626
Matsumoto S, 150, 341
Matsushita T, 18, 78, 634
Matsuura T, 786
Matsuzaki K, 547, 622, 871
Maury P, 183
McAdams HP, 743
Meinzer P, 864
Mester J, 597
Miyake H, 150
Moche IE, 743
Mochizuki T, 162
Monnet I, 496
Moon CH, 194
Moon HJ, 48
Moon W-J, 510
Morcos L, 183
Mori H, 150, 341
Mori K, 547
Morikubo H, 758
Morimoto T, 771
Morin RL, 62
Moritani T, 534
Moriya T, 354, 606
Moriyama N, 321, 792, 799
Moroni C, 375
Morris DL, 750
Mortele KJ, 805
Motoyasu M, 501
Mueller P, 105
Mueller PR, 297
Muhle C, 901
Mukaihara S, 771
Mukherji SK, 687
Müller NL, 260, 461, 475
Munamoto T, 896
Murakami T, 110
Muram TM, 869
Muramatsu Y, 364
Murayama S, 241
Mutalik P, 681

N

Na DG, 194, 510
Naccache J-M, 496
Nagashima J, 874
Nagayama H, 874
Naidich DP, 279
Nakajo M, 896
Nakamoto T, 735
Nakamura H, 110
Nakamura Y, 364, 771
Nakano T, 501
Nakayama T, 786
Ng S-H, 93
Nicoletti R, 889
Niitsu M, 469
Nishie A, 786
Nishino M, 564, 771
Nishitani H, 449, 547, 622, 871
Noeldge G, 864
Novelline RA, 226, 505
Numminen J, 571
Numminen K, 571

O

O'Brien PC, 62
O'Neill MJ, 105
Ochi M, 169, 820
Okada A, 110
Okamoto M, 78
Okano T, 694
Okimoto T, 189
Okinaka T, 501
Okino Y, 150, 341
Okuse N, 647
Oljeski S, 420
Onishi K, 501
Onitsuka H, 786
Ono C, 169
Onohara S, 896
Ookubo S, 874
Oriuchi N, 70, 175
Orlandi I, 375
Ors F, 630
Otsuka H, 162
Outwater EK, 485

P

Pan DH-C, 525
Panicek DM, 307
Pannu HK, 333, 779
Parizel PM, 434
Park JE, 289
Park JM, 761
Park JS, 48, 901
Park SI, 48
Park YN, 48
Patel PV, 743
Pathak AP, 219
Perry A, 427
Pietan JH, 62
Pilleul F, 315
Pistolesi M, 375
Pitman MB, 297
Ponchon T, 315
Prasad SR, 105, 380
Prost RW, 213, 442
Ptak T, 226, 505

Q

Qayyum A, 860

R

Radeleff BA, 864
Raman SS, 583
Remuiñán C, 724
Remy J, 266
Remy-Jardin M, 266, 475
Reznik Y, 424
Rhea JT, 297

© 2003 Lippincott Williams & Wilkins

Rhim H, 158
Richfield E, 534
Rigauts H, 284
Rivera VT, 743
Ro JY, 253
Robson MD, 825
Rodríguez E, 724
Rogacheski E, 12
Rogalla P, 385
Romanowski CAJ, 235
Rosol M, 392
Rubinowitz AN, 279
Rutgeerts P, 132
Ryoo JW, 194, 510

S

Safford RE, 62
Sagiuchi T, 410
Sahani D, 105, 380
Saini S, 105, 380
Saito H, 354, 606, 626
Saito Y, 758
Sakama M, 449
Sakata I, 241
Sakuma H, 501
Salomons GS, 44
SanDiego JW, 639
Sanghvi A, 699
Sano T, 694
Santana P, 361
Sarrabère MP, 183
Sasaki J, 162
Sase S, 647
Satake M, 792, 799
Sato A, 354, 606, 626
Savoiardo M, 552
Sayer J, 583
Schaefer PW, 5
Schaffler G, 889
Schaffler GJ, 847
Schoellnast H, 847
Schultes G, 889
Schwartz LH, 307
Schwarz T, 889
Scordidis V, 530
Seidel KD, 663, 668
Senbanjo T, 475
Sener RN, 30, 34, 38, 249, 257, 431, 538, 541, 544
Senoo A, 641
Seo HS, 158
Shab A, 864
Sharma S, 260
Sheikh SF, 681
Sherman S, 577
Sheu M-H, 155
Shiang H-R, 525
Shibata I, 647
Shida H, 758
Shih M-C, 810
Shimada M, 641
Shimazu H, 871
Shin HJ, 158
Shindo H, 189
Shinmura K, 896
Shinozaki K, 786
Shinozaki T, 70, 175
Shiokawa Y, 231
Shukla V, 98, 454
Sigal R, 327
Silverman SG, 805
Soler R, 724
Song IS, 85
Sorensen AG, 5
Steiner P, 399
Steinke K, 750
Stern EJ, 735, 907
Stessel U, 847
Sugai S, 517
Suganuma T, 641
Sugihara E, 110
Sumner JE, 380
Sunagawa T, 169, 820
Sung YM, 490
Suzuki M, 647
Suzuki S, 78
Sze RW, 663, 668

T

Taber KH, 98, 292, 454, 657
Tachibana S, 410
Tajima T, 786
Takagishi K, 70, 175
Takahashi H, 647
Takahashi M, 786
Takahashi S, 354, 606, 626
Takaji R, 341
Takaki H, 150
Takamura M, 110
Takashima S, 18
Takasu K, 564
Takayama F, 18
Takayama T, 364
Takeda K, 501
Takeda T, 469,
Takekawa Y, 162
Takeuchi K, 70
Takeuchi M, 547, 622, 871
Tani T, 78
Tann M, 577
Taourel P, 183
Tateishi A, 634
Tateishi U, 321, 792, 799
Tatsumi K, 88
Tayfun C, 630
Tempany C, 805
Teng N, 361
Tervahartiala P, 571
Thaler D, 420
Théron J, 424
Thomeer M, 132
Thoongsuwan N, 907
Thorn M, 864
Tian H, 150
Tillich M, 847
Tillie-Leblond I, 266
Togashi K, 88
Tokizaki T, 634
Tokumaru AM, 241
Tomiyoshi K, 175
Tomoda K, 110
Tonami H, 517
Touzet S, 315
Toyama J, 78
Tripathi RP, 882
Tsai H-M, 590
Tsuboi M, 606
Tsuchiya K, 231, 415
Tsuda Y, 364
Tu H-Y, 854

U

Ucoz T, 630
Uehara H, 622, 871
Uetani M, 189
Uggowitzer MM, 847
Ugurel MS, 630
Ulmer JL, 213, 219
Unno K, 634
Urata Y, 771

V

Valette P-J, 315
Valeyre D, 496
Van Cutsem E, 132
van den Hoff J, 597
Vanbeckevoort D, 132
Vanhoenacker F, 434
Vilgrain V, 117
Villari N, 375
Vodopich DJ, 583

W

Wai Y-Y, 207
Wan Y-L, 93, 207
Wang H-K, 155
Wang J, 18
Wang XL, 434
Watanabe H, 70, 175
Weinberger E, 663, 668
Westesson P-L, 534
White CS, 743
Wicky S, 392
Wiese TH, 385
Wilkinson MD, 26
Wippold FJ II, 427
Wolf G, 889
Wu C-T, 207

Y

Yamada T, 354, 606, 626
Yamada Y, 341
Yamaguchi H, 874
Yamakami S, 78
Yamamoto A, 771
Yamamoto I, 517
Yamamoto M, 694
Yanagawa T, 70, 175
Yang DM, 166
Yang HK, 140
Yang SJ, 85
Yasunaga Y, 820
Yeh BM, 860
Yeung DKW, 674
Yeung YP, 609
Yi BY, 194
Yi CA, 194, 490
Yokota H, 517
Yoo SM, 85
Yoon YC, 490
Yorikawa J, 634
Yoshida S, 622, 871
Yoshikawa K, 641
Yoshimitsu K, 786
Yoshitake T, 786
Yucel KE, 392

Z

Zaetta JM, 485

Subject Index

A

Abdominal hysterectomy, total
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Abdominal multidetector row computed tomography
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Abdominal veins, dense
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Abdominal/pelvic imaging, routine
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Acetabular component
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Acid, pentaacetic
Interstitial magnetic resonance

© 2003 Lippincott Williams & Wilkins

lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Acidemia, methylmalonic
Magnetic resonance imaging and spectroscopy in a patient with treated methylmalonic acidemia, Takeuchi M et al (case report), 547
Aciduria, L-2 hydroxyglutaric
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
Acquired arteriovenous malformation
Retained products of conception masquerading as acquired arteriovenous malformation (case report), Kido A et al, 88
Activation, intensity-dependent, of primary auditory cortex
Intensity-dependent activation of the primary auditory cortex in functional magnetic resonance imaging, Lasota KJ et al, 213
Activation-induced delays in functional magnetic resonance imaging
Decoupling of the hemodynamic and activation-induced delays in functional magnetic resonance imaging, Biswal BB et al, 219
Acute appendicitis
Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Acute myocardial infarction
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Acute-stage ischemic lesion
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Adhesive capsulitis of shoulder
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Adrenal carcinoma
Adrenal carcinoma with a signal loss on chemical shift magnetic resonance imaging (case report), Yamada T et al, 606
Adrenal gland
Chronic expanding hematoma in the adrenal gland with pathologic correlations (case report), Yamada T et al, 354
Adult cranial dura II
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Adult duodenal intraluminal "wind sock" diverticulum
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Adult neuroblastoma
Adult neuroblastoma: Radiologic and clinicopathologic features, Tateishi U et al, 321
Adults
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743
Advanced image processing
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Aerodigestive tract, upper, squamous cell carcinoma of
Computed tomography perfusion of squamous cell carcinoma of the upper aerodigestive tract, Gandhi D et al, 687
Algorithm
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Amiodarone
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Analysis, fractal
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Angiography, computed tomography. *See* Computed tomography (CT) angiography.
Angiography, coronary
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Angiography, digital subtraction
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Angiography, multidetector-row helical computed tomography
Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231
Angiography, semiautomated computed tomography
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Angiosarcoma, diffuse hepatic
Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Animal study
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Anomalous origin of right coronary artery
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Anomalous pulmonary venous connection, partial
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743
Anterior cruciate ligament injury
Grading of anterior cruciate ligament injury, Hong SH et al, 814
Anterior mediastinum
Cystic tumors in the anterior mediastinum (pictorial essay), Kim JH et al, 714
Anterior spinal artery stroke
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
Aorta
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Aortography, calibrated
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Aortoiliac stent graft length
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Apparent diffusion coefficient
Longitudinal evaluation of apparent diffusion coefficient in children with neurofibromatosis type 1, Sheikh SF et al, 681
Appendage, left, inverted atrial
A case of inverted left atrial appendage mimicking a tumor (case report), Motoyasu M et al, 501
Appendiceal lesions
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
Appendicitis, acute
Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Arteriovenous malformation
Arteriovenous malformation of the ring finger (case report), Sunagawa T et al, 820
Retained products of conception masquerading as acquired arteriovenous

© 2003 Lippincott Williams & Wilkins

malformation (case report), Kido A et al, 88
Artery, carotid, inflammatory pseudotumor of
Inflammatory pseudotumor of the carotid artery: radiologic findings (case report), Lee HK et al, 253
Artery, hepatic
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Artery, right coronary
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Artery, right inferior phrenic
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Arthrography, magnetic resonance
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Arthroscopy
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Atrial appendage, left, inverted
A case of inverted left atrial appendage mimicking a tumor (case report), Motoyasu M et al, 501
Atrial fibrillation, chronic
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Atrial thrombi
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Auditory cortex, primary, intensity-dependent activation of
Intensity-dependent activation of the primary auditory cortex in functional magnetic resonance imaging, Lasota KJ et al, 213
Axonal injury, diffuse
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5

B

Barium study, double-contrast
Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Beam, electron, computed tomography
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Benign appendiceal lesions
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
Benign biliary stenosis
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Beryllium disease
Ground-glass computed tomography pattern in chronic beryllium disease: Pathologic substratum and evolution (case report), Naccache J-M et al, 496
Biliary stenosis
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Bladder imaging
Bladder imaging using multidetector row computed tomography, volume rendering, and magnetic resonance imaging, Lawler LP et al, 553
Bleeding, massive
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Blood flow, hepatic
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Blood flow index. cerebral
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Blood supply
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Bone scan
Solitary hot spots in the ribs on bone scan: value of thin-section reformated computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Brain damage
Computed tomography and magnetic resonance imaging findings of brain damage by hanging (case report), Nakajo M et al, 896
Brain teratoma, congenital
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Brain tumor
Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Breast cancer metastases to lung and liver
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Breath-hold magnetic resonance cholangiopancreatography
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Bronchiectasis
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Bronchioloalveolar cell carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Bronchogenic carcinomas, Peripheral
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Bypass, extracranial-intracranial
Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231

C

Calcifications, cavernous carotid
Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Calcifications, retroperitoneal
Appearance and distinguishing features of retroperitoneal calcifications at computed tomography, Kroepil P et al, 860
Calibrated aortography
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Canavan disease
Canavan disease: Diffusion magnetic resonance imaging findings (case report), Sener RN, 30
Cancer, gynecologic
Thin section dual-phase multidetector-row computed tomography detection of

© 2003 Lippincott Williams & Wilkins

peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Cancer, lung
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Cancer, pancreatic
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Cancer, stomach
Extrapelvic and extraperitoneal spread of recurrent stomach cancer: two case reports (case report), Shin HJ et al, 158
Caplan syndrome
Computed tomography findings of Caplan syndrome (case report), Arakawa H et al, 758
Capsulitis of shoulder, adhesive
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Carbon-11 choline positron emission tomography
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Carcinoma, adrenal
Adrenal carcinoma with a signal loss on chemical shift magnetic resonance imaging (case report), Yamada T et al, 606
Carcinoma, bronchioloalveolar cell
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Carcinoma, colorectal
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Carcinoma, hepatocellular
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Carcinoma, hypervascular hepatocellular
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Carcinoma, mucinous rectal
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48
Carcinoma, mucin-producing, of gallbladder
Mucin-producing carcinoma of the gallbladder: imaging demonstration in four cases, Tian H et al, 150
Carcinoma, nonbronchioloalveolar cell
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Carcinoma, nonmucinous rectal
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48
Carcinoma, oral maxillofacial
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Carcinoma, peripheral bronchogenic
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Carcinoma, primary fallopian tube
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Carcinoma, renal clear-cell
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
Carcinoma, squamous cell
Computed tomography perfusion of squamous cell carcinoma of the upper aerodigestive tract, Gandhi D et al, 687
Carcinoma, thyroid
Esophageal invasion by thyroid carcinomas: Prediction using magnetic resonance imaging, Wang J et al, 18
Carcinomatosis, peritoneal
Computed tomographic features of peritoneal carcinomatosis treated by intraperitoneal chemohyperthermia, Dromain C et al, 327
Carcinomatous peritonitis, ovarian
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Cardiac arrest, sudden
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Cardiac catheterization
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Cardiac resuscitation
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Cardiomyopathies, primary
Magnetic resonance imaging of primary cardiomyopathies (review), Soler R et al, 724
Carotid artery, inflammatory pseudotumor of
Inflammatory pseudotumor of the carotid artery: radiologic findings (case report), Lee HK et al, 253
Carotid calcifications, cavernous
Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Catheterization, therapeutic cardiac
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Cavernous carotid calcifications
Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Cavernous hemangioma, temporal
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Central nervous system paracoccidioidomycosis
Central nervous system paracoccidioidomycosis: imaging findings in 17 cases, Gasparetto EL et al, 12
Central pulmonary embolism
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Cerebral blood flow index
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874

© 2003 Lippincott Williams & Wilkins

Cerebral computed tomography, noncontrast
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Cerebral necrosis, radiation-induced
Diffusion-weighted magnetic resonance imaging in radiation-induced cerebral necrosis, Chan Y-l et al, 674
Cervical spinal cord
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
Character-based paradigms
Implementations of clinical functional magnetic resonance imaging using character-based paradigms for the prediction of Chinese language dominance, Liu H-L et al, 207
Chemical shift imaging, two-dimensional excitation, short echo time
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Chemical shift magnetic resonance imaging
Adrenal carcinoma with a signal loss on chemical shift magnetic resonance imaging (case report), Yamada T et al, 606
Chemohyperthermia, intraperitoneal
Computed tomographic features of peritoneal carcinomatosis treated by intraperitoneal chemohyperthermia, Dromain C et al, 327
Chest phantom
The development and use of a chest phantom for optimizing scanning techniques on a variety of low-dose helical computed tomography devices, Muramatsu Y et al, 364
Chiari II malformation
Rhombencephalosynapsis and a Chiari II malformation (case report), Sener RN et al, 257
Children
Longitudinal evaluation of apparent diffusion coefficient in children with neurofibromatosis type 1, Sheikh SF et al, 681
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Chinese language
Implementations of clinical functional magnetic resonance imaging using character-based paradigms for the prediction of Chinese language dominance, Liu H-L et al, 207
Cholangiocarcinoma
Hepatocellular-cholangiocarcinoma: Helical computed tomography findings in 30 patients, Ebied O et al, 117
Cholangiography
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Cholangiopancreatography
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
Choline positron emission tomography, carbon-11
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Chronic atrial fibrillation
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Chronic beryllium disease
Ground-glass computed tomography pattern in chronic beryllium disease: Pathologic substratum and evolution (case report), Naccache J-M et al, 496
Chronic congestive heart failure
Location, size, and distribution of mediastinal lymph node enlargement in chronic congestive heart failure, Erly WK et al, 485
Chronic expanding hematoma
Chronic expanding hematoma in the adrenal gland with pathologic correlations (case report), Yamada T et al, 354
Chronic inflammatory pseudotumor
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
Chronic obstructive pulmonary disease (COPD)
Comparison of spirometric-gated and -ungated HRCT in COPD, Moroni C et al, 375
Chronic pulmonary thromboembolism
Chronic pulmonary thromboembolism, Arakawa H et al, 735
Clear-cell carcinoma, renal
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
Cleft, congenital
Congenital cleft in the pontomedullary junction (case report), Sener RN, 544
Clinical functional magnetic resonance imaging
Implementations of clinical functional magnetic resonance imaging using character-based paradigms for the prediction of Chinese language dominance, Liu H-L et al, 207
Clinicopathology
Adult neuroblastoma: Radiologic and clinicopathologic features, Tateishi U et al, 321
Closed head injury
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Coefficient, apparent diffusion
Longitudinal evaluation of apparent diffusion coefficient in children with neurofibromatosis type 1, Sheikh SF et al, 681
Colonography
Stool tagging applied in thin-slice multidetector computed tomography colonography, Thomeer M et al, 132
Colorectal carcinoma
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Comparative animal study
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Computed tomography (CT)
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Appearance and distinguishing features of retroperitoneal calcifications at computed tomography, Kroepil P et al, 860
Bladder imaging using multidetector row computed tomography, volume rendering, and magnetic resonance imaging, Lawler LP et al, 553
Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Comparative study with a moving heart phantom of the impact of temporal

© 2003 Lippincott Williams & Wilkins

resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Computed tomographic features of peritoneal carcinomatosis treated by intraperitoneal chemohyperthermia, Dromain C et al, 327
Computed tomography and magnetic resonance imaging findings of brain damage by hanging (case report), Nakajo M et al, 896
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Computed tomography evaluation of pelvic organ prolapse, Pannu HK et al, 779
Computed tomography findings of Caplan syndrome (case report), Arakawa H et al, 758
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743
Computed tomography of the breast (pictorial essay), Kim SM et al, 761
Computed tomography perfusion of squamous cell carcinoma of the upper aerodigestive tract, Gandhi D et al, 687
The development and use of a chest phantom for optimizing scanning techniques on a variety of low-dose helical computed tomography devices, Muramatsu Y et al, 364
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Ground-glass computed tomography pattern in chronic beryllium disease: Pathologic substratum and evolution (case report), Naccache J-M et al, 496
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Hepatocellular-cholangiocarcinoma: Helical computed tomography findings in 30 patients, Ebied O et al, 117
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Infectious pulmonary nodules in immunocompromised patients: Usefulness of computed tomography in predicting their etiology, Franquet T et al, 461
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Multiple enhancing lesions detected on dynamic helical computed tomography—mammography, Nishino M et al, 771
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
Organizing pneumonia: prognostic implication of high-resolution computed tomography features, Lee JS et al, 260
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169
Computed tomography (CT) angiography
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Evaluation of the hepatic artery in potential donors for living donor liver

© 2003 Lippincott Williams & Wilkins

transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231
Computed tomography (CT) colonography
Stool tagging applied in thin-slice multidetector computed tomography colonography, Thomeer M et al, 132
Computed tomography (CT) densitometry
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Computed tomography (CT) gastrography
Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Computed tomography-guided transthoracic percutaneous ethanol injection
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Conception, retained products of
Retained products of conception masquerading as acquired arteriovenous malformation (case report), Kido A et al, 88
Congenital brain teratoma
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Congenital cleft
Congenital cleft in the pontomedullary junction (case report), Sener RN, 544
Congestive heart failure
Location, size, and distribution of mediastinal lymph node enlargement in chronic congestive heart failure, Erly WK et al, 485
Contrast material
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Conventional gastroscopy
Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
COPD. *See* Chronic obstructive pulmonary disease (COPD).
Cord, spinal. *See* Spinal cord.
Coronal images
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Coronal reformations
Usefulness of coronal reformations in the diagnostic evaluation of infiltrative lung disease, Remy-Jardin M et al, 266
Coronary angiography
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Coronary artery, right
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Coronary sinus, left
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Cortex, primary auditory, intensity-dependent activation of
Intensity-dependent activation of the primary auditory cortex in functional magnetic resonance imaging, Lasota KJ et al, 213
Cost
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Cranial dura II, adult
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Creatine transporter deficiency
Magnetic resonance spectroscopy in a 9-day-old heterozygous female child with creatine transporter deficiency, Cecil KM et al, 44
Cruciate ligament, anterior
Grading of anterior cruciate ligament injury, Hong SH et al, 814
CT. *See* Computed tomography (CT).
Cushing disease
Cushing disease caused by an ectopic intracavernous pituitary microadenoma: Case report and review of the literature (case report), Hamon M et al, 424
Cystadenofibromas, ovarian
Ovarian cystadenofibromas: Characteristic magnetic resonance findings with pathologic correlation (case report), Takeuchi M et al, 871
Cystic tumors
Cystic tumors in the anterior mediastinum (pictorial essay), Kim JH et al, 714
Cysts, lung
Lung cysts in subacute hypersensitivity pneumonitis, Franquet T et al, 475

D

Decoupling
Decoupling of the hemodynamic and activation-induced delays in functional magnetic resonance imaging, Biswal BB et al, 219
Dedifferentiated liposarcoma, primary
Primary dedifferentiated liposarcoma of the retroperitoneum, Tateishi U et al, 799
Deep venous system
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Deficiency, creatine transporter
Magnetic resonance spectroscopy in a 9-day-old heterozygous female child with creatine transporter deficiency, Cecil KM et al, 44
Delayed eclampsia
Neuroimaging of delayed eclampsia (case report), Bartynski WS et al, 699
Dense abdominal veins
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Densitometry, computed tomography
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Diffuse axonal injury
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Diffuse hepatic angiosarcoma
Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Diffuse multinodular infarction of regenerative nodules
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Diffusion coefficient, apparent
Longitudinal evaluation of apparent diffusion coefficient in children with neurofibromatosis type 1, Sheikh SF et al, 681
Diffusion magnetic resonance imaging
Canavan disease: Diffusion magnetic resonance imaging findings (case report), Sener RN, 30

© 2003 Lippincott Williams & Wilkins

Diffusion magnetic resonance imaging in infantile neuroaxonal dystrophy (case report), Sener RN, 34
Diffusion magnetic resonance imaging of solid vestibular schwannomas (case report), Sener RN, 249
Diffusion MR imaging of giant cell tumors in tuberous sclerosis, Sener RN, 431
Diffusion-weighted magnetic resonance imaging in radiation-induced cerebral necrosis, Chan Y-l et al, 674
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Nonketotic hyperglycinemia: Diffusion magnetic resonance imaging findings (case report), Sener RN, 538
Phenylketonuria: Diffusion magnetic resonance imaging and proton magnetic resonance spectroscopy (case report), Sener RN, 541
Spinal cord infarction demonstrated on diffusion-weighted MR imaging with a single-shot fast spin-echo sequence (case report), Fujikawa A et al, 415
Diffusion-weighted imaging
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Hypoglycemia and diffusion-weighted imaging (case report), Chan R et al, 420
Digital subtraction angiography
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Direct cholangiography
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Disconnected pancreatic duct syndrome
Disconnected pancreatic duct syndrome: Imaging findings and therapeutic implications in 26 surgically corrected patients, Tann M et al, 577
Disease, Canavan
Canavan disease: Diffusion magnetic resonance imaging findings (case report), Sener RN, 30
Disease, infiltrative lung
Usefulness of coronal reformations in the diagnostic evaluation of infiltrative lung disease, Remy-Jardin M et al, 266
Disorders, temporomandibular joint
Magnetic resonance evidence of joint fluid with temporomandibular joint disorders, Yamamoto M et al, 694
Diverticulum, duodenal, intraluminal "wind sock"
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Donor liver transplantation, living
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Doppler sonography
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Double-contrast barium study
Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Dual-phase multidetector-row computed tomography, thin section
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Duodenal intraluminal "wind sock" diverticulum
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Dura II, adult cranial
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Dynamic helical computed tomography
Multiple enhancing lesions detected on dynamic helical computed tomography—mammography, Nishino M et al, 771
Dynamic magnetic resonance imaging
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Dynamic perfusion magnetic resonance imaging
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Dynamic positron emission tomography
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Dystrophy, infantile neuroaxonal
Diffusion magnetic resonance imaging in infantile neuroaxonal dystrophy (case report), Sener RN, 34

E

Echo images
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Echo time chemical shift imaging
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Eclampsia, delayed
Neuroimaging of delayed eclampsia (case report), Bartynski WS et al, 699
Ectopic intracavernous pituitary microadenoma
Cushing disease caused by an ectopic intracavernous pituitary microadenoma: Case report and review of the literature (case report), Hamon M et al, 424
Electrocardiography-gated computed tomography, multidetector
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Electron beam computed tomography
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Electron beam tomography
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Embolism, central pulmonary
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Embolism, suspected pulmonary
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Emergencies, gynecologic
Magnetic resonance imaging findings in gynecologic emergencies, Nishino M et al, 564
Emergency department
Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Encephalopathy, Wernicke
Wernicke encephalopathy: unusual findings in nonalcoholic patients (case report), Doss A et al, 235

© 2003 Lippincott Williams & Wilkins

Enhancement, temporal peritumoral
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Epidermal nevus syndrome
Epidermal nevus syndrome: megalencephaly with bihemispheric and cerebellar involvement: imaging and neuropathologic correlation (case report), Abdelhalim AN et al, 534
Esophageal invasion
Esophageal invasion by thyroid carcinomas: Prediction using magnetic resonance imaging, Wang J et al, 18
Esophageal varices
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Essay, pictorial
Computed tomography of the breast (pictorial essay), Kim SM et al, 761
Cystic tumors in the anterior mediastinum (pictorial essay), Kim JH et al, 714
Ethanol injection, transthoracic percutaneous
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Excitation short echo time chemical shift imaging, two-dimensional
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Expanding hematoma, chronic
Chronic expanding hematoma in the adrenal gland with pathologic correlations (case report), Yamada T et al, 354
Extracranial-intracranial bypass
Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231
Extrameningeal contributions, venous sinuses and
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Extrapelvic spread of recurrent stomach cancer
Extrapelvic and extraperitoneal spread of recurrent stomach cancer: two case reports (case report), Shin HJ et al, 158

F

Fallopian tube carcinoma, primary
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Fast magnetic resonance imaging
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Fast spin-echo sequence, single-shot
Spinal cord infarction demonstrated on diffusion-weighted MR imaging with a single-shot fast spin-echo sequence (case report), Fujikawa A et al, 415
Fat suppression
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Fatty metastatic lesions
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
FDG-PET
Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Female pelvis
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Femoral head, subchondral insufficiency fracture of
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Fibrillation, chronic atrial
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Fibrolipoma, neural
Neural fibrolipoma of the foot (case report), Ly JQ et al, 639
Finger, ring, arteriovenous malformation of
Arteriovenous malformation of the ring finger (case report), Sunagawa T et al, 820
FISP, true
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Fitz-Hugh-Curtis syndrome
Fitz-Hugh-Curtis syndrome, Nishie A et al, 786
Flexor tendon ruptures
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169
Flow, left ventricular
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Fluid, joint
Magnetic resonance evidence of joint fluid with temporomandibular joint disorders, Yamamoto M et al, 694
Fluorine-18 fluorodeoxyglucose positron emission tomography
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Fluoro-2-deoxy-D-glucose–positron emission tomography
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Fluorodeoxyglucose positron emission tomography, fluorine-18
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Flush, saline
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Foot
Neural fibrolipoma of the foot (case report), Ly JQ et al, 639
Fractal analysis
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Fracture, radiography-negative
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Fracture, subchondral insufficiency, of femoral head
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Free precession sequence, steady state
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Functional magnetic resonance imaging. *See* Magnetic resonance (MR) imaging.
Fusion, preoperative image
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889

© 2003 Lippincott Williams & Wilkins

G

Gadofluorine 8
  Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Gadolinium diethylenetriamine-pentaacetic acid
  Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Gallbladder, mucin-producing carcinoma of
  Mucin-producing carcinoma of the gallbladder: imaging demonstration in four cases, Tian H et al, 150
Gamma knife radiosurgery
  Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Gastroesophageal hiatus
  Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
Gastrography, computed tomography
  Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Gastrointestinal stromal tumor
  Gastrointestinal stromal tumor, Tateishi U et al, 792
  Gastrointestinal stromal tumor of rectum: A report of 2 cases (case report), Lau S et al, 609
Gastroscopy, conventional
  Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Gender-related performance
  Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Giant cell tumors
  Diffusion MR imaging of giant cell tumors in tuberous sclerosis, Sener RN, 431
Gland, adrenal
  Chronic expanding hematoma in the adrenal gland with pathologic correlations (case report), Yamada T et al, 354
Graft length, aortoiliac stent
  Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Granular cell tumor, suprasellar
  Neuroimaging findings in a suprasellar granular cell tumor (case report), Wilkinson MD et al, 26
Ground-glass computed tomography pattern
  Ground-glass computed tomography pattern in chronic beryllium disease: Pathologic substratum and evolution (case report), Naccache J-M et al, 496
Guided radiofrequency-ablated pulmonary metastases
  Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Gynecologic cancers
  Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Gynecologic emergencies
  Magnetic resonance imaging findings in gynecologic emergencies, Nishino M et al, 564

H

Hand, flexor tendon ruptures in
  Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169
Hanging
  Computed tomography and magnetic resonance imaging findings of brain damage by hanging (case report), Nakajo M et al, 896
Head computed tomography scans
  Clinical significance of cavernous carotid calcifications encountered on head computed tomography scans performed on patients seen in the emergency department, Ptak T et al, 505
Head injury, closed
  Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Heart
  Value of magnetic resonance imaging in the depiction of intravenous leiomyomatosis extending to the heart (case report), Kocaoglu M et al, 630
Heart failure, congestive
  Location, size, and distribution of mediastinal lymph node enlargement in chronic congestive heart failure, Erly WK et al, 485
Heart phantom, moving
  Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Helical computed tomography
  The development and use of a chest phantom for optimizing scanning techniques on a variety of low-dose helical computed tomography devices, Muramatsu Y et al, 364
  Hepatocellular-cholangiocarcinoma: Helical computed tomography findings in 30 patients, Ebied O et al, 117
  Multiple enhancing lesions detected on dynamic helical computed tomography—mammography, Nishino M et al, 771
  Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
  Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Helical computed tomography angiography
  Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231
Hemangioma
  Evaluation of hemangioma by positron emission tomography: role in a multimodality approach, Hatayama K et al, 70
Hemangioma, hepatic
  Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Hemangioma, temporal cavernous
  Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Hemangiomatosis
  Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Hematoma, chronic expanding
  Chronic expanding hematoma in the adrenal gland with pathologic correlations (case report), Yamada T et al, 354
Hematoma, lumbar subdural
  Uncommon magnetic resonance imaging observation of lumbar subdural hematoma with cranial origin (case report), Lecouvet FE et al, 530
Hemodynamic delays in functional magnetic resonance imaging
  Decoupling of the hemodynamic and activation-induced delays in functional magnetic resonance imaging, Biswal BB et al, 219
Hemorrhage
  Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Hepatic angiosarcoma, diffuse
  Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Hepatic artery
  Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography

© 2003 Lippincott Williams & Wilkins

angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Hepatic blood flow
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Hepatic cavernous hemangioma
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Hepatic hemangiomas
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Hepatocellular carcinoma
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Hepatocellular-cholangiocarcinoma
Hepatocellular-cholangiocarcinoma: Helical computed tomography findings in 30 patients, Ebied O et al, 117
Herniation, pancreatic
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
Heterotopic pancreas of stomach
Lithiasis in a heterotopic pancreas of the stomach (case report), Lee HY et al, 85
Heterozygous child
Magnetic resonance spectroscopy in a 9-day-old heterozygous female child with creatine transporter deficiency, Cecil KM et al, 44
Hiatus, gastroesophageal
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
High pitch
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
High-resolution computed tomography
Organizing pneumonia: prognostic implication of high-resolution computed tomography features, Lee JS et al, 260
High-resolution multislice computed tomography
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Hip prosthesis
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Histopathology
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Hot spots, solitary
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
HRCT, Spirometric-gated and -ungated
Comparison of spirometric-gated and -ungated HRCT in COPD, Moroni C et al, 375
Hydroxyglutaric aciduria
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
L-2 Hydroxyglutaric aciduria
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
Hyperacute ischemic stroke
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Hyperglycinemia, nonketotic
Nonketotic hyperglycinemia: Diffusion magnetic resonance imaging findings (case report), Sener RN, 538
Hypersensitivity pneumonitis, subacute
Lung cysts in subacute hypersensitivity pneumonitis, Franquet T et al, 475
Hypervascular hepatocellular carcinoma
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Hypervascular liver lesions
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Hypoglycemia
Hypoglycemia and diffusion-weighted imaging (case report), Chan R et al, 420
Hysterectomy, total abdominal
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361

I

Iliopsoas impingement
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Image fusion, preoperative
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Image processing, advanced
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Imaging
Central nervous system paracoccidioidomycosis: imaging findings in 17 cases, Gasparetto EL et al, 12
Clinical and imaging anatomy of the scalp, Hayman LA et al, 454
Disconnected pancreatic duct syndrome: Imaging findings and therapeutic implications in 26 surgically corrected patients, Tann M et al, 577
Mucin-producing carcinoma of the gallbladder: imaging demonstration in four cases, Tian H et al, 150
Imaging, abdominal/pelvic
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Imaging, bladder
Bladder imaging using multidetector row computed tomography, volume rendering, and magnetic resonance imaging, Lawler LP et al, 553
Imaging, breast
Computed tomography of the breast (pictorial essay), Kim SM et al, 761
imaging, coronal
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Imaging, diffusion-weighted
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Hypoglycemia and diffusion-weighted imaging (case report), Chan R et al, 420
Imaging, echo
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110

© 2003 Lippincott Williams & Wilkins

Imaging, magnetic resonance. *See* Magnetic resonance (MR) imaging.
Imaging, spin echo T1-weighted
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Imaging, true fast
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Imaging, two-dimensional excitation, short echo time chemical shift
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Imaging, ultrashort TE (UTE)
Magnetic resonance: An introduction to ultrashort TE (UTE) imaging (special review), Robson MD et al, 825
Immunocompromised patients
Infectious pulmonary nodules in immunocompromised patients: Usefulness of computed tomography in predicting their etiology, Franquet T et al, 461
Impingement, iliopsoas
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Infantile neuroaxonal dystrophy
Diffusion magnetic resonance imaging in infantile neuroaxonal dystrophy (case report), Sener RN, 34
Infarction, acute myocardial
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Infarction, spinal cord
Spinal cord infarction demonstrated on diffusion-weighted MR imaging with a single-shot fast spin-echo sequence (case report), Fujikawa A et al, 415
Infarction of regenerative nodules, diffuse multinodular
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Infectious pulmonary nodules
Infectious pulmonary nodules in immunocompromised patients: Usefulness of computed tomography in predicting their etiology, Franquet T et al, 461
Inferior phrenic artery, right
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Infiltrative lung disease
Usefulness of coronal reformations in the diagnostic evaluation of infiltrative lung disease, Remy-Jardin M et al, 266
Inflammatory pseudotumor
Inflammatory pseudotumor of the carotid artery: radiologic findings (case report), Lee HK et al, 253
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
Injection, transthoracic percutaneous ethanol
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Injury, anterior cruciate ligament
Grading of anterior cruciate ligament injury, Hong SH et al, 814
Injury, diffuse axonal
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
Injury, head, closed
Diffusion-weighted imaging for the evaluation of diffuse axonal injury in closed head injury, Huisman TAGM et al, 5
In-phase echo images
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Insufficiency fracture, subchondral, of femoral head
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Intensity-dependent activation of primary auditory cortex
Intensity-dependent activation of the primary auditory cortex in functional magnetic resonance imaging, Lasota KJ et al, 213
Interferon-induced sarcoidosis
Interferon-induced sarcoidosis (case report), Rubinowitz AN et al, 279
Internal textures of small peripheral bronchogenic carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Interstitial magnetic resonance lymphography
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Intracavernous pituitary microadenoma, ectopic
Cushing disease caused by an ectopic intracavernous pituitary microadenoma: Case report and review of the literature (case report), Hamon M et al, 424
Intracerebral parenchymal tuberculosis
Perfusion magnetic resonance imaging in intracerebral parenchymal tuberculosis: Preliminary findings, Batra A et al, 882
Intraclass correlation coefficient
Reproducibility of metabolite concentration evaluated by intraclass correlation coefficient using clinical MR apparatus, Kubo H et al, 449
Intraluminal "wind sock" diverticulum, duodenal
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Intraperitoneal chemohyperthermia
Computed tomographic features of peritoneal carcinomatosis treated by intraperitoneal chemohyperthermia, Dromain C et al, 327
Intravenous leiomyomatosis
Value of magnetic resonance imaging in the depiction of intravenous leiomyomatosis extending to the heart (case report), Kocaoglu M et al, 630
Inverted left atrial appendage
A case of inverted left atrial appendage mimicking a tumor (case report), Motoyasu M et al, 501
Ischemic lesion, acute-stage
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Ischemic stroke, hyperacute
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194

J

Joint, temporomandibular, disorders of
Magnetic resonance evidence of joint fluid with temporomandibular joint disorders, Yamamoto M et al, 694
Joint fluid
Magnetic resonance evidence of joint fluid with temporomandibular joint disorders, Yamamoto M et al, 694

L

Language, Chinese
Implementations of clinical functional magnetic resonance imaging using character-based paradigms for the prediction of Chinese language dominance, Liu H-L et al, 207
Left atrial appendage, inverted
A case of inverted left atrial appendage mimicking a tumor (case report), Motoyasu M et al, 501
Left coronary sinus
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus

© 2003 Lippincott Williams & Wilkins

associated with acute myocardial infarction (case report), Lee J et al, 289
Left ventricular volume and flow measurements
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Leiomyosarcoma, uterine
Vaginal metastasis from uterine leiomyosarcoma (case report), Cantisani V et al, 805
Lesion
Multiple enhancing lesions detected on dynamic helical computed tomography—mammography, Nishino M et al, 771
Lesion, acute-stage ischemic
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Lesion, appendiceal
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
Lesion, fatty metastatic
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
Lesion, hypervascular liver
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Ligament, anterior cruciate
Grading of anterior cruciate ligament injury, Hong SH et al, 814
Lipoleiomyoma, uterine
Radiologic features of uterine lipoleiomyoma, Maebayashi T et al, 162
Liposarcoma, primary dedifferentiated
Primary dedifferentiated liposarcoma of the retroperitoneum, Tateishi U et al, 799
Lithiasis
Lithiasis in a heterotopic pancreas of the stomach (case report), Lee HY et al, 85
Liver
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Liver dome
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Liver lesions, hypervascular
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Liver malignancies
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Liver transplantation, living donor
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Living donor liver transplantation
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Localized pseudomyxoma peritonei
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Low pitch
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Low-dose helical computed tomography
The development and use of a chest phantom for optimizing scanning techniques on a variety of low-dose helical computed tomography devices, Muramatsu Y et al, 364
Lower thorax
The source and direction of thoracic lymphatics, part II: The lower thorax, Aquino SL et al, 657
Low-milliamperage multidetector-row computed tomography
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Lumbar subdural hematoma
Uncommon magnetic resonance imaging observation of lumbar subdural hematoma with cranial origin (case report), Lecouvet FE et al, 530
Lung, breast cancer metastases to
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Lung cancer
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Lung cysts
Lung cysts in subacute hypersensitivity pneumonitis, Franquet T et al, 475
Lung disease, infiltrative
Usefulness of coronal reformations in the diagnostic evaluation of infiltrative lung disease, Remy-Jardin M et al, 266
Luteoma, pregnancy
Magnetic resonance imaging of pregnancy luteoma (case report), Wang H-K et al, 155
Lymph node enlargement, mediastinal
Location, size, and distribution of mediastinal lymph node enlargement in chronic congestive heart failure, Erly WK et al, 485
Lymphatics, thoracic
Source and direction of thoracic lymphatics: Part I–upper thorax, Aquino SL et al, 292
The source and direction of thoracic lymphatics, part II: The lower thorax, Aquino SL et al, 657
Lymphography, magnetic resonance
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Lymphoma
Clinical and imaging findings of lymphoma in patients with Sjögren syndrome, Tonami H et al, 517
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510

M

Machado-Joseph disease
Magnetic resonance imaging findings of Machado-Joseph disease: histopathologic correlation, Tokumaru AM et al, 241
Magnetic resonance (MR) arthrography
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Magnetic resonance (MR) cholangiography
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Magnetic resonance (MR) cholangiopancreatography
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616

© 2003 Lippincott Williams & Wilkins

Magnetic resonance (MR) imaging, diffusion.
See Diffusion magnetic resonance imaging.
Magnetic resonance (MR) lymphography
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Magnetic resonance (MR) spectroscopy
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
Magnetic resonance imaging and spectroscopy in a patient with treated methylmalonic acidemia, Takeuchi M et al (case report), 547
Magnetic resonance spectroscopy in a 9-day-old heterozygous female child with creatine transporter deficiency, Cecil KM et al, 44
Phenylketonuria: Diffusion magnetic resonance imaging and proton magnetic resonance spectroscopy (case report), Sener RN, 541
Reversible MR imaging and MR spectroscopy abnormalities in association with metronidazole therapy (letter to the editor), Savoiardo M et al, 552
Malformation, acquired arteriovenous
Retained products of conception masquerading as acquired arteriovenous malformation (case report), Kido A et al, 88
Malformation, arteriovenous, of ring finger
Arteriovenous malformation of the ring finger (case report), Sunagawa T et al, 820
Malignancies
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Malignant appendiceal lesions
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
Malignant biliary stenosis
Value of magnetic resonance cholangiography in benign and maligant biliary stenosis: comparative study with direct cholangiography, Courbière M et al, 315
Malignant melanoma, vaginal
Magnetic resonance imaging of vaginal malignant melanoma (case report), Kim H et al, 357
Malignant pancreaticobiliary obstruction
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Mammography
Multiple enhancing lesions detected on dynamic helical computed tomography—mammography, Nishino M et al, 771
Mapping, quantitative multilevel
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Massive bleeding
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Matrix stone
Matrix stone (case report), Liu C-C et al, 810
Maxillofacial carcinoma, oral
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Maximum intensity projection techniques
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Mediastinal lymph node enlargement
Location, size, and distribution of mediastinal lymph node enlargement in chronic congestive heart failure, Erly WK et al, 485
Mediastinum, anterior
Cystic tumors in the anterior mediastinum (pictorial essay), Kim JH et al, 714
Megalencephaly
Epidermal nevus syndrome: megalencephaly with bihemispheric and cerebellar involvement: imaging and neuropathologic correlation (case report), Abdelhalim AN et al, 534
Melanoma, vaginal malignant
Magnetic resonance imaging of vaginal malignant melanoma (case report), Kim H et al, 357
Metabolic rates
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Metabolite concentration
Reproducibility of metabolite concentration evaluated by intraclass correlation coefficient using clinical MR apparatus, Kubo H et al, 449
Metastases
Parachordoma with multiple metastases, Abe S et al, 634
Metastases, guided radiofrequency-ablated pulmonary
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Metastases, lung cancer, to lung and liver
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Metastases, peritoneal
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Metastases, vaginal
Vaginal metastasis from uterine leiomyosarcoma (case report), Cantisani V et al, 805
Metastatic lesions, fatty
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
Methylmalonic acidemia
Magnetic resonance imaging and spectroscopy in a patient with treated methylmalonic acidemia, Takeuchi M et al (case report), 547
Metronidazole
Reversible MR imaging and MR spectroscopy abnormalities in association with metronidazole therapy (letter to the editor), Savoiardo M et al, 552
Microadenoma, ectopic intracavernous pituitary
Cushing disease caused by an ectopic intracavernous pituitary microadenoma: Case report and review of the literature (case report), Hamon M et al, 424
Micro-computed tomography
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Minimally invasive coronary angiography
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Mitral valve regurgitation
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Moving heart phantom
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
MR imaging. *See* Magnetic resonance (MR) imaging.
MRI. *See* Magnetic resonance (MR) imaging.
Mucinous rectal carcinoma
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48
Mucin-producing carcinoma of gallbladder
Mucin-producing carcinoma of the

© 2003 Lippincott Williams & Wilkins

gallbladder: imaging demonstration in four cases, Tian H et al, 150
Multidetector computed tomography
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Multidetector computed tomography colonography
Stool tagging applied in thin-slice multidetector computed tomography colonography, Thomeer M et al, 132
Multidetector electrocardiography-gated computed tomography
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Multidetector-row computed tomography
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Additional coronal images using low-milliamperage multidetector-row computed tomography: Effectiveness in the diagnosis of bronchiectasis, Sung YM et al, 490
Bladder imaging using multidetector row computed tomography, volume rendering, and magnetic resonance imaging, Lawler LP et al, 553
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Multidetector-row helical computed tomography angiography
Visualization of extracranial-intracranial bypass using multidetector-row helical computed tomography angiography, Tsuchiya K et al, 231
Multilevel mapping, quantitative
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647
Multimodality approach
Evaluation of hemangioma by positron emission tomography: role in a multimodality approach, Hatayama K et al, 70
Multinodular infarction of regenerative nodules, diffuse
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Multiphase dynamic magnetic resonance imaging
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Multiphasic computed tomography
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Multiphasic perfusion computed tomography
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Multislice computed tomography
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Incremental value of advanced image processing of multislice computed tomography data in the evaluation of hypervascular liver lesions, Kamel IR et al, 652
Multislice spiral computed tomography
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Musculoskeletal radiology
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Musculoskeletal tumors
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Myocardial infarction, acute
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289

N

Necrosis, radiation-induced cerebral
Diffusion-weighted magnetic resonance imaging in radiation-induced cerebral necrosis, Chan Y-l et al, 674
Neural fibrolipoma
Neural fibrolipoma of the foot (case report), Ly JQ et al, 639
Neuroaxonal dystrophy, infantile
Diffusion magnetic resonance imaging in infantile neuroaxonal dystrophy (case report), Sener RN, 34
Neuroblastoma, adult
Adult neuroblastoma: Radiologic and clinicopathologic features, Tateishi U et al, 321
Neurofibromatosis type 1
Longitudinal evaluation of apparent diffusion coefficient in children with neurofibromatosis type 1, Sheikh SF et al, 681
Nevus syndrome, epidermal
Epidermal nevus syndrome: megalencephaly with bihemispheric and cerebellar involvement: imaging and neuropathologic correlation (case report), Abdelhalim AN et al, 534
Nodules, infectious pulmonary
Infectious pulmonary nodules in immunocompromised patients: Usefulness of computed tomography in predicting their etiology, Franquet T et al, 461
Nodules, posterior subpleural
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Nodules, regenerative, diffuse multinodular infarction of
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Nonalcoholic patients
Wernicke encephalopathy: unusual findings in nonalcoholic patients (case report), Doss A et al, 235
Nonbronchioloalveolar cell carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Noncontrast cerebral computed tomography
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Nonfocused helical computed tomography
Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Nonmucinous rectal carcinoma
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48

© 2003 Lippincott Williams & Wilkins

O

Obstruction, malignant pancreaticobiliary
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Opposed-phase echo images
Detection of hypervascular hepatocellular carcinoma with dynamic magnetic resonance imaging with simultaneously obtained in-phase and opposed-phase echo images, Sugihara E et al, 110
Oral maxillofacial carcinoma
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Orbital lymphoma
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
Ovarian carcinomatous peritonitis
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Ovarian cystadenofibromas
Ovarian cystadenofibromas: Characteristic magnetic resonance findings with pathologic correlation (case report), Takeuchi M et al, 871

P

Pancreas, heterotopic
Lithiasis in a heterotopic pancreas of the stomach (case report), Lee HY et al, 85
Pancreatic cancer
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Pancreatic duct syndrome, disconnected
Disconnected pancreatic duct syndrome: Imaging findings and therapeutic implications in 26 surgically corrected patients, Tann M et al, 577
Pancreatic herniation
Pancreatic herniation through the gastroesophageal hiatus: Magnetic resonance imaging, magnetic resonance cholangiopancreatography, and computed tomography evaluation (case report), Gremmels JM et al, 616
Pancreaticobiliary obstruction, malignant
Breath-hold magnetic resonance cholangiopancreatography in the evaluation of malignant pancreaticobiliary obstruction, Schwartz LH et al, 307
Parachordoma
Parachordoma with multiple metastases, Abe S et al, 634
Paracoccidioidomycosis, central nervous system
Central nervous system paracoccidioidomycosis: imaging findings in 17 cases, Gasparetto EL et al, 12
Paradigms, character-based
Implementations of clinical functional magnetic resonance imaging using character-based paradigms for the prediction of Chinese language dominance, Liu H-L et al, 207
Parenchymal tuberculosis, intracerebral
Perfusion magnetic resonance imaging in intracerebral parenchymal tuberculosis: Preliminary findings, Batra A et al, 882
Partial anomalous pulmonary venous connection
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743
Patient gender-related performance
Patient gender-related performance of nonfocused helical computed tomography in the diagnosis of acute appendicitis, Raman SS et al, 583
Pelvic imaging, routine
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Pelvic organ prolapse
Computed tomography evaluation of pelvic organ prolapse, Pannu HK et al, 779
Pelvis, female
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Pentaacetic acid
Interstitial magnetic resonance lymphography: Comparative animal study of gadofluorine 8 and gadolinium diethylenetriamine-pentaacetic acid, Shimada M et al, 641
Percutaneous computed tomography
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Percutaneous ethanol injection, transthoracic
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
Perfusion computed tomography, multiphasic
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Perfusion magnetic resonance imaging
Cerebral blood flow index: Dynamic perfusion MRI delivers a simple and good predictor for the outcome of acute-stage ischemic lesion, Igarashi H et al, 874
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Perfusion magnetic resonance imaging in intracerebral parenchymal tuberculosis: Preliminary findings, Batra A et al, 882
Peripheral bronchogenic carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Peripheral textures of small peripheral bronchogenic carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Peritoneal carcinomatosis
Computed tomographic features of peritoneal carcinomatosis treated by intraperitoneal chemohyperthermia, Dromain C et al, 327
Peritoneal metastases
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Peritonitis, ovarian carcinomatous
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Peritumoral enhancement, temporal
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
PET. *See* Positron emission tomography (PET).
Phantom, chest
The development and use of a chest phantom for optimizing scanning techniques on a variety of low-dose helical computed tomography devices, Muramatsu Y et al, 364
Phantom, moving heart
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Phenylketonuria
Phenylketonuria: Diffusion magnetic resonance imaging and proton magnetic resonance spectroscopy (case report), Sener RN, 541
Phrenic artery, right inferior
Hepatocellular carcinoma: Prediction of

© 2003 Lippincott Williams & Wilkins

blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Pituitary microadenoma, ectopic intracavernous
Cushing disease caused by an ectopic intracavernous pituitary microadenoma: Case report and review of the literature (case report), Hamon M et al, 424
Pneumonia
Organizing pneumonia: prognostic implication of high-resolution computed tomography features, Lee JS et al, 260
Pneumonitis, subacute hypersensitivity
Lung cysts in subacute hypersensitivity pneumonitis, Franquet T et al, 475
Pontomedullary junction
Congenital cleft in the pontomedullary junction (case report), Sener RN, 544
Portal venous supply
Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Positron emission tomography (PET)
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Evaluation of hemangioma by positron emission tomography: role in a multimodality approach, Hatayama K et al, 70
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Posterior subpleural nodules
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Precession, steady-state
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Pregnancy luteoma
Magnetic resonance imaging of pregnancy luteoma (case report), Wang H-K et al, 155
Prenatal diagnosis of congenital brain teratoma
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Preoperative image fusion
Preoperative image fusion of fluoro-2-deoxy-D-glucose–positron emission tomography and computed tomography data sets in oral maxillofacial carcinoma: Potential clinical value, Wolf G et al, 889
Primary auditory cortex, intensity-dependent activation of
Intensity-dependent activation of the primary auditory cortex in functional magnetic resonance imaging, Lasota KJ et al, 213
Primary cardiomyopathies
Magnetic resonance imaging of primary cardiomyopathies (review), Soler R et al, 724
Primary dedifferentiated liposarcoma
Primary dedifferentiated liposarcoma of the retroperitoneum, Tateishi U et al, 799
Primary fallopian tube carcinoma
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Products of conception, retained
Retained products of conception masquerading as acquired arteriovenous malformation (case report), Kido A et al, 88
Projection techniques, maximum intensity
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Prolapse, pelvic organ
Computed tomography evaluation of pelvic organ prolapse, Pannu HK et al, 779
Prone computed tomography
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Prone position
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Prosthesis, hip
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Proton magnetic resonance spectroscopy
L-2 hydroxyglutaric aciduria: Proton magnetic resonance spectroscopy and diffusion magnetic resonance imaging findings (case report), Sener RN, 38
Phenylketonuria: Diffusion magnetic resonance imaging and proton magnetic resonance spectroscopy (case report), Sener RN, 541
Pseudomyxoma peritonei
Localized pseudomyxoma peritonei in the female pelvis simulating ovarian carcinomatous peritonitis (case report), Takeuchi M et al, 622
Pseudotumor, inflammatory
Inflammatory pseudotumor of the carotid artery: radiologic findings (case report), Lee HK et al, 253
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510
Pulmonary angiography, computed tomography
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Pulmonary embolism
Detection of central pulmonary embolism on computed tomography densitometry images before computed tomography pulmonary angiography, Kanne JP et al, 907
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Pulmonary metastases, guided radiofrequency-ablated
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Pulmonary nodules, infectious
Infectious pulmonary nodules in immunocompromised patients: Usefulness of computed tomography in predicting their etiology, Franquet T et al, 461
Pulmonary thromboembolism, chronic
Chronic pulmonary thromboembolism, Arakawa H et al, 735
Pulmonary venous connection, partial anomalous
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743

Q

Quantitative multilevel mapping
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647

R

Radiation-induced cerebral necrosis
Diffusion-weighted magnetic resonance imaging in radiation-induced cerebral necrosis, Chan Y-l et al, 674
Radiofrequency-ablated pulmonary metastases, guided
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750

© 2003 Lippincott Williams & Wilkins

Radiography-negative fractures
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Radiology
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Adult neuroblastoma: Radiologic and clinicopathologic features, Tateishi U et al, 321
Iliopsoas impingement on the acetabular component: radiologic and computed tomography findings of a rare hip prosthesis complication in eight cases, Cyteval C cet al, 183
Improved radiologic staging of lung cancer with 2-[^{18}-F]-fluoro-2-deoxy-D-glucose-positron emission tomography and computed tomography registration, Aquino SL et al, 479
Radiologic appearance and complications of percutaneous computed tomography—guided radiofrequency-ablated pulmonary metastases from colorectal carcinoma, Steinke K et al, 750
Radiologic features of uterine lipoleiomyoma, Maebayashi T et al, 162
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Radiosurgery, gamma knife
Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Rapid computed tomography
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Rare benign and malignant appendiceal lesions
Rare benign and malignant appendiceal lesions: Spectrum of computed tomography findings with pathologic correlation, Chiou Y-Y et al, 297
RECIST guidelines
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
Rectal carcinoma, mucinous
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48
Rectal carcinoma, nonmucinous
Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging, Kim M-J et al, 48
Rectum, gastrointestinal stromal tumor of
Gastrointestinal stromal tumor of rectum: A report of 2 cases (case report), Lau S et al, 609
Recurrent stomach cancer
Extrapelvic and extraperitoneal spread of recurrent stomach cancer: two case reports (case report), Shin HJ et al, 158
Reformatted computed tomography, thin-section
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Regenerative nodules, diffuse multinodular infarction of
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Regurgitation, mitral valve
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Renal clear-cell carcinoma
Fatty metastatic lesions in 2 patients with renal clear-cell carcinoma (case report), Muram TM et al, 869
Renal specimens
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Resolution, spatial
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Resolution, temporal
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Resolution, very-low temporal
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Resuscitation, cardiac
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Retained products of conception
Retained products of conception masquerading as acquired arteriovenous malformation (case report), Kido A et al, 88
Retroperitoneal calcifications
Appearance and distinguishing features of retroperitoneal calcifications at computed tomography, Kroepil P et al, 860
Retroperitoneum
Primary dedifferentiated liposarcoma of the retroperitoneum, Tateishi U et al, 799
Reversible magnetic resonance imaging
Reversible MR imaging and MR spectroscopy abnormalities in association with metronidazole therapy (letter to the editor), Savoiardo M et al, 552
Reviewers
Acknowledgment of reviewers, Elster AD, 1
Rhombencephalosynapsis
Rhombencephalosynapsis and a Chiari II malformation (case report), Sener RN et al, 257
Ribs
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Right coronary artery, anomalous origin of
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Right inferior phrenic artery
Hepatocellular carcinoma: Prediction of blood supply from right inferior phrenic artery by multiphasic CT, Okino Y et al, 341
Ring finger, arteriovenous malformation of
Arteriovenous malformation of the ring finger (case report), Sunagawa T et al, 820
Routine abdominal/pelvic imaging
Comparison between low (3:1) and high (6:1) pitch for routine abdominal/pelvic imaging with multislice computed tomography, Sahani D et al, 105
Ruptures, flexor tendon
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169

S

Saline flush
Abdominal multidetector row computed tomography: Reduction of cost and contrast material dose using saline flush, Schoellnast H et al, 847
Sarcoidosis, interferon-induced
Interferon-induced sarcoidosis (case report), Rubinowitz AN et al, 279
Scalp
Clinical and imaging anatomy of the scalp, Hayman LA et al, 454
Schwannomas, solid vestibular
Diffusion magnetic resonance imaging of solid vestibular schwannomas (case report), Sener RN, 249
Sclerosis, tuberous
Diffusion MR imaging of giant cell tumors in tuberous sclerosis, Sener RN, 431

© 2003 Lippincott Williams & Wilkins

Semiautomated computed tomography angiography
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Semiquantitative FDG-PET
Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Sequence, steady state free precession
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Short echo time chemical shift imaging, two-dimensional excitation
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Shoulder, adhesive capsulitis of
Adhesive capsulitis of the shoulder: Diagnosis using magnetic resonance arthrography, with arthroscopic findings as the standard, Lee MH et al, 901
Shunt failure, ventriculoperitoneal
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Signal loss on chemical shift magnetic resonance imaging
Adrenal carcinoma with a signal loss on chemical shift magnetic resonance imaging (case report), Yamada T et al, 606
Single-shot fast spin-echo sequence
Spinal cord infarction demonstrated on diffusion-weighted MR imaging with a single-shot fast spin-echo sequence (case report), Fujikawa A et al, 415
Sinus, left coronary
Magnetic resonance imaging demonstration of anomalous origin of the right coronary artery from the left coronary sinus associated with acute myocardial infarction (case report), Lee J et al, 289
Sinus, venous
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Sjögren syndrome
Clinical and imaging findings of lymphoma in patients with Sjögren syndrome, Tonami H et al, 517
Small peripheral bronchogenic carcinomas
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Soft tissue tumors
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Solid vestibular schwannomas
Diffusion magnetic resonance imaging of solid vestibular schwannomas (case report), Sener RN, 249
Solitary hot spots
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Sonography, Doppler
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Spatial resolution
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Special review
Magnetic resonance: An introduction to ultrashort TE (UTE) imaging (special review), Robson MD et al, 825
Specimens, renal
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Spectroscopy, magnetic resonance. *See* Magnetic resonance (MR) spectroscopy.
Spin echo T1-weighted imaging
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Spinal artery stroke, anterior
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
Spinal cord, cervical
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
Spinal cord infarction
Spinal cord infarction demonstrated on diffusion-weighted MR imaging with a single-shot fast spin-echo sequence (case report), Fujikawa A et al, 415
Spiral computed tomography, multislice
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Spirometric-gated HRCT
Comparison of spirometric-gated and -ungated HRCT in COPD, Moroni C et al, 375
Spirometric-ungated HRCT
Comparison of spirometric-gated and -ungated HRCT in COPD, Moroni C et al, 375
Squamous cell carcinoma of upper aerodigestive tract
Computed tomography perfusion of squamous cell carcinoma of the upper aerodigestive tract, Gandhi D et al, 687
Standardized algorithm
Image quality in standardized algorithm for minimally invasive coronary angiography with multislice spiral computed tomography, Gerber TC et al, 62
Steady state free precession sequence
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
Steady-state precession
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Stent graft length, aortoiliac
Prediction of aortoiliac stent graft length: comparison of a semiautomated computed tomography angiography method and calibrated aortography, Coenegrachts K et al, 284
Stomach
Lithiasis in a heterotopic pancreas of the stomach (case report), Lee HY et al, 85
Stomach cancer
Extrapelvic and extraperitoneal spread of recurrent stomach cancer: two case reports (case report), Shin HJ et al, 158
Stone, matrix
Matrix stone (case report), Liu C-C et al, 810
Stool tagging
Stool tagging applied in thin-slice multidetector computed tomography colonography, Thomeer M et al, 132
Stroke, anterior spinal artery
Diffusion-weighted MRI in anterior spinal artery stroke of the cervical spinal cord (case report), Sagiuchi T et al, 410
Stroke, hyperacute ischemic
Multiphasic perfusion computed tomography in hyperacute ischemic stroke: comparison with diffusion and perfusion magnetic resonance imaging, Na DG et al, 194
Stromal tumor, gastrointestinal
Gastrointestinal stromal tumor, Tateishi U et al, 792
Stromal tumor, gastrointestinal
Gastrointestinal stromal tumor of rectum: A report of 2 cases (case report), Lau S et al, 609
Subacute hypersensitivity pneumonitis
Lung cysts in subacute hypersensitivity pneumonitis, Franquet T et al, 475
Subacute inflammatory pseudotumor
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical

© 2003 Lippincott Williams & Wilkins

computed tomography, Moon W-J et al, 510
Subchondral insufficiency fracture of femoral head
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Subdural hematoma, lumbar
Uncommon magnetic resonance imaging observation of lumbar subdural hematoma with cranial origin (case report), Lecouvet FE et al, 530
Subpleural nodules, posterior
Posterior subpleural nodules in patients with underlying malignancies: value of prone computed tomography, Goo JM et al, 274
Subtraction angiography, digital
Comparison of spatial resolution in high-resolution multislice computed tomography and digital subtraction angiography using renal specimens, Hallscheidt PJ et al, 864
Sudden cardiac arrest
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Suprasellar granular cell tumor
Neuroimaging findings in a suprasellar granular cell tumor (case report), Wilkinson MD et al, 26
Suspected pulmonary embolism
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Suspected ventriculoperitoneal shunt failure
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668

T

Temporal peritumoral enhancement
Temporal peritumoral enhancement of hepatic cavernous hemangioma: Findings at multiphase dynamic magnetic resonance imaging, Li C-S et al, 854
Temporal resolution
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Comparative study with a moving heart phantom of the impact of temporal resolution on image quality with two multidetector electrocardiography-gated computed tomography units, Wicky S et al, 392
Temporomandibular joint disorders
Magnetic resonance evidence of joint fluid with temporomandibular joint disorders, Yamamoto M et al, 694
Tendon, flexor, ruptures of
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169
Teratoma, congenital brain
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427
Tesla
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Therapeutic cardiac catheterization
Amiodarone administered for cardiac resuscitation does not alter the integrity of noncontrast cerebral computed tomography performed on neurologically symptomatic patients before therapeutic cardiac catheterization, Ptak T et al, 226
Thin section dual-phase multidetector-row computed tomography
Thin section dual-phase multidetector-row computed tomography detection of peritoneal metastases in gynecologic cancers, Pannu HK et al, 333
Thin-section computed tomography
Fractal analysis of internal and peripheral textures of small peripheral bronchogenic carcinomas in thin-section computed tomography: Comparison of bronchioloalveolar cell carcinomas with nonbronchioloalveolar cell carcinomas, Kido S et al, 56
Thin-section reformatted computed tomography
Solitary hot spots in the ribs on bone scan: value of thin-section reformatted computed tomography to exclude radiography-negative fractures, Niitsu M et al, 469
Thin-slice multidetector computed tomography colonography
Stool tagging applied in thin-slice multidetector computed tomography colonography, Thomeer M et al, 132
Thoracic lymphatics
Source and direction of thoracic lymphatics: Part I–upper thorax, Aquino SL et al, 292
The source and direction of thoracic lymphatics, part II: The lower thorax, Aquino SL et al, 657
Thorax
Source and direction of thoracic lymphatics: Part I–upper thorax, Aquino SL et al, 292
The source and direction of thoracic lymphatics, part II: The lower thorax, Aquino SL et al, 657
Three-dimensional computed tomography
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169
Three-dimensional sequences, contrast-enhanced, fast low-angle
Differentiation of anal sphincters with high-resolution magnetic resonance imaging using contrast-enhanced fast low-angle shot 3-dimensional sequences, Schaefer O et al, 860
Three-dimensional volume rendering of pancreatic cancer
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Thrombi, atrial
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Thromboembolism, chronic pulmonary
Chronic pulmonary thromboembolism, Arakawa H et al, 735
Thyroid carcinoma
Esophageal invasion by thyroid carcinomas: Prediction using magnetic resonance imaging, Wang J et al, 18
Tomography, computed. *See* Computed tomography (CT).
Tomography, electron beam
Usefulness of electron beam tomography in the prone position for detecting atrial thrombi in chronic atrial fibrillation, Tani T et al, 78
Tomography, micro-computed
Subchondral insufficiency fracture of the femoral head: magnetic resonance imaging findings correlated with micro-computed tomography and histopathology, Uetani M et al, 189
Tomography, positron emission. *See* Positron emission tomography (PET).
Total abdominal hysterectomy
Preoperative CT diagnosis of primary fallopian tube carcinoma in a patient with a history of total abdominal hysterectomy, Santana P et al, 361
Transplantation, liver, living donor
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Transthoracic percutaneous ethanol injection
Computed tomography demonstration of immediate and delayed complications of computed tomography-guided transthoracic percutaneous ethanol injection of hepatocellular carcinoma at the liver dome, Tsai H-M et al, 590
True fast imaging
Magnetic resonance imaging of the liver: True fast imaging with steady state free precession sequence facilitates rapid and reliable distinction between hepatic hemangiomas and liver malignancies, Numminen K et al, 571
True FISP
Fast magnetic resonance imaging in steady-state precession (true FISP) in the prenatal diagnosis of a congenital brain teratoma, Marden FA et al, 427

© 2003 Lippincott Williams & Wilkins

Tuberculosis, intracerebral parenchymal
Perfusion magnetic resonance imaging in intracerebral parenchymal tuberculosis: Preliminary findings, Batra A et al, 882
Tuberous sclerosis
Diffusion MR imaging of giant cell tumors in tuberous sclerosis, Sener RN, 431
Tumor
A case of inverted left atrial appendage mimicking a tumor (case report), Motoyasu M et al, 501
Tumor, brain
Usefulness of semiquantitative FDG-PET in the prediction of brain tumor treatment response in gamma knife radiosurgery, Lee J-K et al, 525
Tumor, cystic
Cystic tumors in the anterior mediastinum (pictorial essay), Kim JH et al, 714
Tumor. gastrointestinal stromal
Gastrointestinal stromal tumor, Tateishi U et al, 792
Tumor, gastrointestinal stromal
Gastrointestinal stromal tumor of rectum: A report of 2 cases (case report), Lau S et al, 609
Tumor, giant cell
Diffusion MR imaging of giant cell tumors in tuberous sclerosis, Sener RN, 431
Tumor, musculoskeletal
Carbon-11 choline positron emission tomography in musculoskeletal tumors: comparison with fluorine-18 fluorodeoxyglucose positron emission tomography, Yanagawa T et al, 175
Tumor, soft tissue
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Tumor, suprasellar granular cell
Neuroimaging findings in a suprasellar granular cell tumor (case report), Wilkinson MD et al, 26
T1-weighted imaging, spin echo
Additional value of magnetic resonance with spin echo T1-weighted imaging with fat suppression in characterization of soft tissue tumors, Gielen JLMA et al, 434
Two-dimensional excitation short echo time chemical shift imaging
Two-dimensional excitation short echo time chemical shift imaging at 0.5 tesla, Prost RW et al, 442
Two-phase helical computed tomography
Orbital lymphoma and subacute or chronic inflammatory pseudotumor: Differentiation with two-phase helical computed tomography, Moon W-J et al, 510

U

Ultrashort TE (UTE) imaging
Magnetic resonance: An introduction to ultrashort TE (UTE) imaging (special review), Robson MD et al, 825
Uncommon magnetic resonance imaging
Uncommon magnetic resonance imaging observation of lumbar subdural hematoma with cranial origin (case report), Lecouvet FE et al, 530
Upper aerodigestive tract, squamous cell carcinoma of
Computed tomography perfusion of squamous cell carcinoma of the upper aerodigestive tract, Gandhi D et al, 687
Upper thorax
Source and direction of thoracic lymphatics: Part I–upper thorax, Aquino SL et al, 292
UTE imaging. *See* Ultrashort TE (UTE) imaging.
Uterine leiomyosarcoma
Vaginal metastasis from uterine leiomyosarcoma (case report), Cantisani V et al, 805
Uterine lipoleiomyoma
Radiologic features of uterine lipoleiomyoma, Maebayashi T et al, 162

V

Vaginal malignant melanoma
Magnetic resonance imaging of vaginal malignant melanoma (case report), Kim H et al, 357
Vaginal metastasis
Vaginal metastasis from uterine leiomyosarcoma (case report), Cantisani V et al, 805
Valve, mitral, regurgitation
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Varices, esophageal
Diffuse multinodular infarction of regenerative nodules after massive bleeding from esophageal varices: computed tomography findings, Yang DM et al, 166
Veins, dense abdominal
Sudden cardiac arrest during computed tomography examination: Clinical findings and "dense abdominal veins" on computed tomography, Ko S-F et al, 93
Venous connection, partial anomalous pulmonary
Computed tomography of partial anomalous pulmonary venous connection in adults, Haramati LB et al, 743
Venous sinuses
Adult cranial dura II: Venous sinuses and their extrameningeal contributions, Shukla V et al, 98
Venous supply, portal
Diffuse hepatic angiosarcoma with a portal venous supply mimicking hemangiomatosis (case report), Kitami M et al, 626
Venous system, deep
Evaluation of the deep venous system in patients with suspected pulmonary embolism with multi-detector CT: A prospective study in comparison to Doppler sonography, Begemann PGC et al, 399
Ventricular volumes
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Ventriculoperitoneal shunt failure
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure I, Sze RW et al, 663
Rapid computed tomography technique to measure ventricular volumes in the child with suspected ventriculoperitoneal shunt failure II, Sze RW et al, 668
Very-low temporal resolution
Accurate determination of metabolic rates from dynamic positron emission tomography data with very-low temporal resolution, Buchert R et al, 597
Vestibular schwannomas, solid
Diffusion magnetic resonance imaging of solid vestibular schwannomas (case report), Sener RN, 249
Volume, left ventricular
Quantification of mitral valve regurgitation by left ventricular volume and flow measurements using electron beam computed tomography: comparison with magnetic resonance imaging, Lembcke A et al, 385
Volume rendering
Bladder imaging using multidetector row computed tomography, volume rendering, and magnetic resonance imaging, Lawler LP et al, 553
Computed tomography gastrography with volume-rendering technique: correlation with double-contrast barium study and conventional gastroscopy, Kim SH et al, 140
Evaluation of the hepatic artery in potential donors for living donor liver transplantation by computed tomography angiography using multidetector-row computed tomography: comparison of volume rendering and maximum intensity projection techniques, Byun JH et al, 125
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered cholangiopancreatography, Johnson PT et al, 347
Volume-rendered cholangiopancreatography
Multidetector-row computed tomography with three-dimensional volume rendering of pancreatic cancer: A complete preoperative staging tool using computed tomography angiography and volume-rendered

© 2003 Lippincott Williams & Wilkins

cholangiopancreatography, Johnson PT et al, 347

W

Wernicke encephalopathy
Wernicke encephalopathy: unusual findings in nonalcoholic patients (case report), Doss A et al, 235
WHO guidelines
Radiological measurement of breast cancer metastases to lung and liver: Comparison between WHO (bidimensional) and RECIST (unidimensional) guidelines, Prasad SR et al, 380
"Wind sock" diverticulum, duodenal, intraluminal
Multidetector row computed tomography and volume rendering of an adult duodenal intraluminal "wind sock" diverticulum (case report), Lawler LP et al, 619
Wrist, flexor tendon ruptures in
Three-dimensional CT imaging of flexor tendon ruptures in the hand and wrist, Sunagawa T et al, 169

X

Xenon computed tomography
Quantitative multilevel mapping of hepatic blood flow by xenon computed tomography using aorta, Sase S et al, 647

© 2003 Lippincott Williams & Wilkins